

Conventional, „standard” chemotherapy protocols for modulated electro-hyperthermia (mEHT, trade name: mEHT ®)

Dr. Szasz A. Marcell

Oncology Center, Semmelweis University, Budapest, Hungary,

szasz.attila_marcell@med.semmelweis-univ.hu

Marcell A. Szasz (2019): Conventional, „standard” chemotherapy protocols for modulated electro-hyperthermia (mEHT, trade name: oncothermia ®),
Oncothermia Journal 25: 131-
www.oncothermia-journal.com/journal/2019/Conventional_standard_chemotherapy.pdf

My objective to collect the standard protocols, which are conventionally in use together with modulated electro-hyperthermia (mEHT). These protocols do not contain the newest non-chemo-based therapies, like antibodies, gene therapies, immune-therapies, check-point-inhibitors, CAR T-cell therapy, etc., limited only on the classical chemotherapies, which are widely used in first- and second-line therapies. The protocols intended to help the mEHT professionals to choose the best protocol for their patients. The protocols show only one cycle of mEHT fitted to the given chemotherapy at first. It could be repeated with continuous basis on the same composition, or when a longer period is in the protocol without administering chemo-therapy, but knowing the active effect on the disease, the mEHT could be continued at every second day as highest frequency of its application. When the toxicity of the chemo-therapy reaches its tolerance limit by repeated cycles, mEHT could be continued with control of its efficacy.

The collected protocols are:

7022 Chemotherapy, 5FU Protocol + HT.....	135
7024 Chemotherapy, ADM-Tegafur Protocol + HT.....	135
7025 Chemotherapy, Holoye Protocol + HT	135
7027 Chemotherapy, Carboplatin-5-FU Protocol + HT	136
7029 Chemotherapy, CVB Protocol + HT	137
7030 Chemotherapy, EEP Protocol + HT.....	138
7031 Chemotherapy, ELF Protocol + HT	139
7033 Chemotherapy, FAM Protocol + HT.....	140
7036 Chemotherapy, FAP/A Protocol + HT	141
7037 Chemotherapy, FEM Protocol + HT	142
7038 Chemotherapy, 5-FU INF.-CDDP Protocol + HT.....	142
7039 Chemotherapy, FUEPI Protocol + HT	143
7040 Chemotherapy, induction Protocol (Head & neck-Tumors) + HT	143
7042 Chemotherapy, Platinum-5-FU Protocol + HT.....	145
7046 Chemotherapy, 5FU+LV II. Protocol + HT.....	146
7048 Chemotherapy, CDDP+MTX+BLM+VCR Protocol + HT.....	147
7049 Chemotherapy, Ralitrexed (tomudex) Protocol + HT	148
7071 Chemotherapy, CAMP Protocol + HT	148
7072 Chemotherapy, CEP-METC Protocol + HT.....	149
7073 Chemotherapy, CEVET Protocol + HT	151
7076 Chemotherapy, CDDP-VNB Protocol + HT	151
7077 Chemotherapy, ECO-ETP Protocol + HT.....	152
7078 Chemotherapy, EPI-CDDP Protocol + HT	153
7079 Chemotherapy, EPICO Protocol + HT	154
7080 Chemotherapy, FOMI-CAP Protocol + HT.....	155
7081 Chemotherapy, IFO-Carboplatin Protocol + HT	156
7082 Chemotherapy, IFO+CDDP+VP Protocol + HT	157
7083 Chemotherapy, IFO+CDDP+CBP Protocol + HT	157
7084 Chemotherapy, IVP Protocol + HT	158
7085 Chemotherapy, LCAET Protocol + HT	158
7086 Chemotherapy, PACCO Protocol + HT	159
7087 Chemotherapy, PETCE Protocol + HT	159
7088 Chemotherapy, PEV Protocol + HT	161

7089 Chemotherapy, VICE Protocol + HT	161
7090 Chemotherapy, VPI Protocol + HT	162
7091 Chemotherapy, CAV (small-cell Lung carcinoma) Protocol + HT	163
7092 Chemotherapy, CBP+ VP Protocol + HT	163
7093 Chemotherapy, CE (small-cell lung cancer) Protocol + HT	164
7094 Chemotherapy, CEV (small-cell lung cancer) Protocol + HT	164
7096 Chemotherapy, MMC+IFO+CDDP Protocol + HT	165
7097 Chemotherapy, PE (small-cell lung cancer) Protocol + HT	166
7098 Chemotherapy, IEC (small-cell lung cancer) Protocol + HT	166
7099 Chemotherapy, TAX+CBP Protocol + HT	167
7101 Chemotherapy, ADOC Protocol + HT	167
7102 Chemotherapy, PAC Protocol + HT	168
7121 Chemotherapy, by Metastases ADIC Protocol + HT	168
7122 Chemotherapy, VAMFA (adjuvant) Protocol + HT	169
7151 Chemotherapy, CAD Protocol	170
7152 Chemotherapy, CYVADIC Protocol + HT	170
7153 Chemotherapy, IFO-ADM/A Protocol + HT	171
7154 Chemotherapy, IFO-ADM/B Protocol + HT	171
7201 Chemotherapy, BOLD Protocol + HT	172
7202 Chemotherapy, DTIC+CDDP+BCNU+TAMO Protocol+HT	173
7203 Chemotherapy, DVP EORTC Protocol + HT	174
7204 Chemotherapy, oncotherapy Protocol + HT	174
7205 Chemotherapy, oncotherapy Protocol + HT	175
7231 Chemotherapy, AC/A Protocol + HT	176
7233 Chemotherapy, CEF/A single-use CPM Protocol + HT	176
7234 Chemotherapy, CEF/B continuous CPM Protocol + HT	177
7235 Chemotherapy, classic CMF Protocol + HT	177
7236 Chemotherapy, EC Protocol + HT	178
7237 Chemotherapy, FAC Protocol + HT	178
7238 Chemotherapy, FEC Protocol + HT	179
7239 Chemotherapy, Withoxanthron-IFO Protocol + HT	180
7240 Chemotherapy, MMM/A Withomycin C Protocol + HT	180
7241 Chemotherapy, MMM/B Protocol + HT	181
7242 Chemotherapy, TAC Protocol + HT	181
7243 Chemotherapy, Taxol-ADM/A Protocol + HT	181
7244 Chemotherapy, Taxol-ADM/B Protocol + HT	182
7245 Chemotherapy, Taxotere-Adriblastina Protocol + HT	182
7246 Chemotherapy, Taxotere-Adriblastina/B Protocol + HT	183
7301 Chemotherapy, BIP Protocol + HT	183
7302 Chemotherapy, Carboplatin-IFO Protocol + HT	184
7303 Chemotherapy, VAC (recidive Sarcoma) Protocol + HT	184
7304 Chemotherapy, neoadjuvant Protocol + HT	185
7305 Chemotherapy, VPB/D (recidive Collumkarzinom) Protocol + HT	185
7306 Chemotherapy, CAP-BLM Protocol + HT	186
7307 Chemotherapy, CMVB Protocol + HT	187
7309 Chemotherapy, FAP/B Protocol + HT	187
7312 Chemotherapy, CDP Protocol + HT	188
7313 Chemotherapy, CDDP+MTX+BLM Protocol + HT	188
7331 Chemotherapy, BECA Protocol + HT	189
7332 Chemotherapy, BEP Protocol + HT	189

7333 Chemotherapy, Carboplatin-Cyclophosphamid Protocol + HT.....	190
7334 Chemotherapy, Cisplatin-Carboplatin-IFO Protocol + HT	190
7336 Chemotherapy, VIP/A Protocol + HT.....	191
7337 Chemotherapy, VIP/B Protocol + HT.....	191
7338 Chemotherapy, VPB With cisplatin Protocol + HT.....	192
7339 Chemotherapy, VPB with Carboplatin Protocol + HT	193
7340 Chemotherapy, CFP (first line th) Protocol + HT	194
7341 Chemotherapy, CPH+VP for Behandlung von Rezidiven + HT.....	194
7343 Chemotherapy, TAX-CBP (first line th) Protocol + HT.....	194
7345 Chemotherapy, VEP (bym rezidivierenden Ovarialkarzinom) Protocol + HT	195
7346 Chemotherapy, PEB (bym Ovarialkarzinom germinaler Ursprung) Protocol + HT.....	195
7347 Chemotherapy, CPH+CDDP Protocol + HT.....	196
7348 Chemotherapy, Cisplatin-Taxol Protocol + HT.....	196
7401 Chemotherapy, ABVC-BCG Protocol + HT	197
7402 Chemotherapy, CDDP+CPH+ADM Protocol + HT	197
7403 Chemotherapy, CMV Protocol + HT	198
7404 Chemotherapy, MVEC Protocol + HT	198
X001 Chemotherapy, ADM+CTX+CDDP Protocol + HT.....	200
X002 Chemotherapy, ADM+CDDP+BLM Protocol + HT	200
X003 Chemotherapy, VMB Protocol + HT.....	201
X004 Chemotherapy, ADM+CDDP+ACTINOMYCIN-D Protocol + HT.....	202
X005 Chemotherapy, BLM+5FU+VLB Protocol + HT.....	202
X006 Chemotherapy, MLP-F Protocol + HT.....	203
X007 Chemotherapy, MMC+5FU Protocol + HT	203
X008 Chemotherapy, GEMZAR+5FU Protocol + HT	204
X009 Chemotherapy, GEMZAR+CDDP I. Protocol + HT	205
X010 Chemotherapy, VIDE Protocol + HT	206
X011 Chemotherapy, VAC Protocol + HT	206
X012 Chemotherapy, VCR+CDDP+BLM Protocol + HT.....	207
X013 Chemotherapy, GEMZAR+CDDP II. Protocol + HT	207
X014 Chemotherapy, M-VAC Protocol + HT.....	208

7022 Chemotherapy, 5FU Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C18, C19HO, C20HO, C21

5FU 5FLUOROURACYL Dose: 500 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
5FU	5FLUOROURACYL	↑			
	mEHT	↑			↑

7024 Chemotherapy, ADM-Tegafur Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C16, C17, C18, C19HO, C20HO, C2100

ADM ADRIBLASTINA Dose: 25 [mg/m²]

FTOR FTORAFUR Dose: 400 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
ADM	ADRIBASTINA	↑						
FTOR	FTORAFUR		↑	↑	↑	↑	↑	↑
	mEHT	↑			↑			↑

Treatment days from the onset of the cycle:		8
ADM	ADRIBASTINA	
FTOR	FTORAFUR	↑
	mEHT	

7025 Chemotherapy, Holoye Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 16 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31, C32, C70

BLM	BLEOMICIN	Dose: 15 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 100 [mg/m ²]
MTX	METHOTREXAT	Dose: 10 [mg/m ²]
5FU	5FLUOROURACYL	Dose: 400 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
BLM	BLEOMICIN	↑	↑	↑	↑	
CPH	CYCLOPHOSPHAMID	↑	↑	↑	↑	↑
MTX	METHOTREXAT	↑	↑	↑	↑	↑
5FU	5FLUOROURACYL	↑				↑
	mEHT	↑			↑	

7026 Chemotherapy, Creagan Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31, C32, C50, C56HO, C76

CPH	CYCLOPHOSPHAMID	Dose: 200 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 20 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
ADM	ADRIBLASTINA	↑			
CDDP	CIS-PLATINUM	↑			
	mEHT	↑			↑

7027 Chemotherapy, Carboplatin-5-FU Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 24 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31, C32, C76

CBP CARBOPLATIN Dose: 200 [mg/m²]

5FU 5FLUOROURACYL Dose: 500 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CBP	CARBOPLATIN	↑			
5FU	5FLUOROURACYL	↑	↑	↑	↑
	mEHT	↑			↑

7028 Chemotherapy, CEB Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31, C81

CCNU CYCLO-HEXYL-NITROSO-UREA Dose: 40 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

STER STER Dose: 30 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
CCNU	CYCLO-HEXYL-NITROSO-UREA	↑				
VP	VEPESID	↑	↑	↑	↑	↑
STER	STER	↑	↑	↑	↑	↑
	mEHT	↑			↑	

7029 Chemotherapy, CVB Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols 13 [Day]

Diagnoses:

C15

CDDP	CIS-PLATINUM	Dose: 60 [mg/m ²]
VDS	VINDESINE	Dose: 2 [mg/m ²]
BLM	BLEOMICIN	Dose: 10 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CDDP	CIS-PLATINUM	↑						
VDS	VINDESINE	↑						
BLM	BLEOMICIN	↑		↑	↑	↑	↑	
	mEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CDDP	CIS-PLATINUM							
VDS	VINDESINE	↑						
BLM	BLEOMICIN							
	mEHT	↑						

Treatment days from the onset of the cycle:		15
CDDP	CIS-PLATINUM	
VDS	VINDESINE	↑
BLM	BLEOMICIN	
	mEHT	↑

7030 Chemotherapy, EEP Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 21 [Day]

Diagnoses:**C16, C17, C18, C19HO, C20HO, C21**

EPI	EPIRUBICIN	Dose: 15 [mg/m ²]
VP	VEPESID	Dose: 100 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
EPI	EPIRUBICIN	↑	↑	↑	↑	↑
VP	VEPESID	↑		↑	↑	
CDDP	CIS-PLATINUM	↑		↑	↑	
	mEHT	↑			↑	

7031 Chemotherapy, ELF Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C16, C17, C18, C19HO, C20HO, C21

VP	VEPESID	Dose: 60	[mg/m ²]
FOLINAC	FOLINSAV	Dose: 100	[mg/m ²]
5FU	5FLUOROURACYL	Dose: 400	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
VP	VEPESID	↑	↑		↑
FOLINAC	FOLINSAV	↑	↑		↑
5FU	5FLUOROURACYL	↑	↑		↑
	mEHT	↑			↑

7032 Chemotherapy, Epirubicin-Cisplatin Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 19 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31, C32, C45, C46, C47, C48, C49, C56HO, C76

CDDP	CIS-PLATIN	Dose: 25	[mg/m ²]
EPI	EPIRUBICIN	Dose: 40	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATIN	↑			
EPI	EPIRUBICIN	↑	↑		
	mEHT	↑			↑

7033 Chemotherapy, FAM Protocol + HT

Protocol Period : 35 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C16, C17, C18, C19H0, C20H0, C21, C25

5FU	5FLUOROURACYL	Dose: 400 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 20 [mg/m ²]
MMC	MITOMYCIN C	Dose: 5 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
5FU	5FLUOROURACYL	↑						
ADM	ADRIBLASTINA	↑						
MMC	MITOMYCIN C				↑			
	mEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
5FU	5FLUOROURACYL	↑						
ADM	ADRIBLASTINA							
MMC	MITOMYCIN C							
	mEHT	↑			↑			

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
5FU	5FLUOROURACYL							
ADM	ADRIBLASTINA							
MMC	MITOMYCIN C							
	mEHT							

Treatment days from the onset of the cycle:		22	23	24	25	26	27	28
5FU	5FLUOUROURACYL							↑
ADM	ADRIBLASTINA							
MMC	MITOMYCIN C							
mEHT								↑

Treatment days from the onset of the cycle:		29	30	31	32	33	34	35
5FU	5FLUOUROURACYL							↑
ADM	ADRIBLASTINA			↑				
MMC	MITOMYCIN C							
mEHT				↑				↑

7036 Chemotherapy, FAP/A Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C15

5FU	5FLUOUROURACYL	Dose: 400 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 15 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 40 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
5FU	5FLUOUROURACYL	↑	↑	↑	↑	↑	↑	↑
ADM	ADRIBLASTINA	↑						
CDDP	CIS-PLATINUM	↑						
mEHT		↑			↑			↑

Treatment days from the onset of the cycle:		8
5FU	5FLUOUROURACYL	↑
ADM	ADRIBLASTINA	
CDDP	CIS-PLATINUM	
mEHT		

7037 Chemotherapy, FEM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C16, C17, C18, C19HO, C20HO, C21, C22, C23HO, C24, C25

5FU	5FLUOUROURACYL	Dose: 400	[mg/m ²]
EPI	EPIRUBICIN	Dose: 30	[mg/m ²]
MMC	MITOMYCIN C	Dose: 10	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
5FU	5FLUOUROURACYL	↑			↑
EPI	EPIRUBICIN				↑
MMC	MITOMYCIN C	↑			
mEHT		↑			↑

7038 Chemotherapy, 5-FU INF.-CDDP Protocol + HT

Protocol Period : 1 [Day]

Interval between protocols : 6 [Day]

Diagnoses:

C18, C19HO, C20HO, C21

5FU	5FLUOUROURACYL	Dose: 300	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20	[mg/m ²]

Treatment days from the onset of the cycle:		1
5FU	5FLUOUROURACYL	↑
CDDP	CIS-PLATINUM	↑
	mEHT	↑

7039 Chemotherapy, FUEPI Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C18, C19HO, C20HO, C21

5FU 5FLUOUROURACYL Dose: 400 [mg/m²]

EPI EPIRUBICIN Dose: 20 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
5FU	5FLUOUROURACYL	↑	↑	↑	↑	↑
EPI	EPIRUBICIN	↑			↑	
	mEHT	↑			↑	

7040 Chemotherapy, induction Protocol (Head & neck-Tumors) + HT

Protocol Period : 28 [Day]

Interval between protocols : 13 [Day]

Diagnoses:

C00, C01HO, C02, C03, C04, C05, C06, C07HO, C08, C09, C10, C11, C12HO, C13, C14, C30, C31,

C32

CDDP CIS-PLATINUM Dose: 50 [mg/m²]

5FU 5FLUOUROURACYL Dose: 400 [mg/m²]

BLM BLEOMICIN Dose: 10 [mg/m²]

MMC MITOMYCIN C Dose: 4 [mg/m²]

HU HYDROXI-UREA Dose: 100 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CDDP	CIS-PLATINUM	↑						
5FU	5FLUOROURACYL	↑		↑	↑	↑		↑
BLM	BLEOMICIN							
MMC	MITOMYCIN C							
HU	HYDROXI-UREA							
	mEHT	↑			↑			↑

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CDDP	CIS-PLATINUM							
5FU	5FLUOROURACYL							
BLM	BLEOMICIN						↑	
MMC	MITOMYCIN C							
HU	HYDROXI-UREA							
	mEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
CDDP	CIS-PLATINUM							
5FU	5FLUOROURACYL							
BLM	BLEOMICIN							
MMC	MITOMYCIN C							
HU	HYDROXI-UREA							
	mEHT							

Treatment days from the onset of the cycle:		22	23	24	25	26	27	28
CDDP	CIS-PLATINUM							
5FU	5FLUOROURACYL							
BLM	BLEOMICIN							↑
MMC	MITOMYCIN C							
HU	HYDROXI-UREA	↑	↑	↑				
	mEHT	↑						↑

7041 Chemotherapy, MBC Protocol + HT

Protocol Period : 14 [Day]

Interval between protocols : 14 [Day]

Diagnoses:

C15

MTX	METHOTREXAT	Dose: 20 [mg/m ²]
BLM	BLEOMICIN	Dose: 10 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
MTX	METHOTREXAT	↑						
BLM	BLEOMICIN	↑						
CDDP	CIS-PLATINUM				↑			
	mEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
MTX	METHOTREXAT							↑
BLM	BLEOMICIN	↑						↑
CDDP	CIS-PLATINUM							
	mEHT	↑						↑

7042 Chemotherapy, Platinum-5-FU Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:

C00, C01H0, C02, C03, C04, C05, C06, C07H0, C08, C09, C10, C11, C12H0, C13, C14, C30, C31, C32, C76

CDDP	CIS-PLATINUM	Dose: 50 [mg/m ²]
5FU	5FLUOUROURACYL	Dose: 500 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
CDDP	CIS-PLATINUM	↑				

5FU	5FLUOUROURACYL	↑	↑	↑	↑	↑
	mEHT	↑			↑	

7044 Chemotherapy, 5FU+LV low dose Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:

C18

5FU 5FLUOUROURACYL Dose: 500 [mg/m²]

FOLINAC FOLINSÄURE Dose: 100 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
5FU	5FLUOUROURACYL	↑	↑	↑	↑	↑
FOLINAC	FOLINSÄURE	↑	↑	↑	↑	↑
	mEHT	↑			↑	

7046 Chemotherapy, 5FU+LV II. Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:

C18

5FU 5FLUOUROURACYL Dose: 400 [mg/m²]

FOLINAC FOLINSÄURE Dose: 400 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
5FU	5FLUOUROURACYL	↑	↑	↑	↑	↑
FOLINAC	FOLINSÄURE	↑	↑	↑	↑	↑
	mEHT	↑			↑	

7047 Chemotherapy, Irinotecan (campto) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C18

CPT-11 IRINOTHECAN (CAMPTO) Dose: 200 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CPT-11	IRINOTHECAN (CAMPTO)	↑			
	mEHT	↑			↑

7048 Chemotherapy, CDDP+MTX+BLM+VCR Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 13 [Day]

Diagnoses:

C00, C01H0, C02, C03, C04, C05, C06, C07H0, C08, C09, C10, C11, C12H0, C13, C14, C30, C31, C32, C76

MTX METHOTREXAT Dose: 20 [mg/m²]

BLM BLEOMICIN Dose: 10 [mg/m²]

VCR VINCRISTIN Dose: 1 [mg/m²]

CDDP CIS-PLATINUM Dose: 25 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
MTX	METHOTREXAT	↑						
BLM	BLEOMICIN	↑						
VCR	VINCRISTIN	↑						
CDDP	CIS-PLATINUM				↑			
	mEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
MTX	METHOTREXAT							
BLM	BLEOMICIN	↑						

VCR	VINCRISTIN	↑						
CDDP	CIS-PLATINUM	↑						
	mEHT	↑						

Treatment days from the onset of the cycle:		15
MTX	METHOTREXAT	↑
BLM	BLEOMICIN	↑
VCR	VINCRISTIN	↑
CDDP	CIS-PLATINUM	
	mEHT	↑

7049 Chemotherapy, Ralitrexed (tomudex) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C18

RAL RALITREXED (TOMUDEX) Dose: 1,5 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
RAL	RALITREXED (TOMUDEX)	↑			
	MEHT	↑			↑

7071 Chemotherapy, CAMP Protocol + HT

Protocol Period : 10 [Day]

Interval between protocols : 18 [Day]

Diagnoses:

C34

CPH	CYCLOPHOSPHAMID	Dose: 200 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 10 [mg/m ²]
MTX	METHOTREXAT	Dose: 10 [mg/m ²]
PCZ	PROCARBAZIN	Dose: 50 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CPH	CYCLOPHOSPHAMID	↑	↑	↑	↑	↑	↑	↑
ADM	ADRIBLASTINA	↑	↑	↑	↑	↑	↑	↑
MTX	METHOTREXAT	↑	↑	↑	↑	↑	↑	↑
PCZ	PROCARBAZIN	↑	↑	↑	↑	↑	↑	↑
	MEHT	↑			↑			↑

Treatment days from the onset of the cycle:		8	9	10
CPH	CYCLOPHOSPHAMID			↑
ADM	ADRIBLASTINA			↑
MTX	METHOTREXAT			↑
PCZ	PROCARBAZIN	↑	↑	↑
	MEHT	↑		↑

7072 Chemotherapy, CEP-METC Protocol + HT

Protocol Period : 29 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C34

CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]
EPI	EPIRUBICIN	Dose: 25 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 40 [mg/m ²]
MTX	METHOTREXAT	Dose: 20 [mg/m ²]
VP	VEPESID	Dose: 100 [mg/m ²]
CCNU	CYCLO-HEXYL-NITROSO-UREA	Dose: 40 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CPH	CYCLOPHOSPHAMID	↑						
EPI	EPIRUBICIN				↑			
CDDP	CIS-PLATINUM	↑						
MTX	METHOTREXAT	↑						
VP	VEPESID	↑						

CCNU	CYCLO-HEXYL-NITROSO-UREA						
	MEHT	↑			↑		

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
CDDP	CIS-PLATINUM							
MTX	METHOTREXAT							
VP	VEPESID							
CCNU	CYCLO-HEXYL-NITROSO-UREA							
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
CDDP	CIS-PLATINUM							
MTX	METHOTREXAT							
VP	VEPESID							
CCNU	CYCLO-HEXYL-NITROSO-UREA							
	MEHT							

Treatment days from the onset of the cycle:		22	23	24	25	26	27	28
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
CDDP	CIS-PLATINUM							
MTX	METHOTREXAT							
VP	VEPESID					↑		
CCNU	CYCLO-HEXYL-NITROSO-UREA							
	MEHT					↑		

Treatment days from the onset of the cycle:		29	
CPH	CYCLOPHOSPHAMID		
EPI	EPIRUBICIN		
CDDP	CIS-PLATINUM		
MTX	METHOTREXAT	↑	
VP	VEPESID		
CCNU	CYCLO-HEXYL-NITROSO-UREA	↑	
	MEHT	↑	

7073 Chemotherapy, CEVET Protocol + HT

Protocol Period : 7 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C34

CPH	CYCLOPHOSPHAMID	Dose: 500	[mg/m ²]
EPI	EPIRUBUCIN	Dose: 30	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]
VP	VEPESID	Dose: 100	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CPH	CYCLOPHOSPHAMID	↑						
EPI	EPIRUBICIN	↑						
VCR	VINCRISTIN	↑						
VP	VEPESID				↑	↑		↑
	MEHT	↑			↑			↑

7076 Chemotherapy, CDDP-VNB Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 15 [Day]

Diagnoses:**C34**CDDP CIS-PLATINUM Dose: 40 [mg/m²]VNB VINORELBIN Dose: 15 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CDDP	CIS-PLATINUM	↑						
VNB	VINORELBIN	↑						
	MEHT	↑						

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CDDP	CIS-PLATINUM							
VNB	VINORELBIN	↑						
	MEHT	↑						

Treatment days from the onset of the cycle:		15
CDDP	CIS-PLATINUM	
VNB	VINORELBIN	↑
	MEHT	↑

7077 Chemotherapy, ECO-ETP Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 5 [Day]

Diagnoses:**C34**EPI EPIRUBICIN Dose: 20 [mg/m²]CPH CYCLOPHOSPHAMID Dose: 400 [mg/m²]VCR VINCERISTIN Dose: 1 [mg/m²]VP VEPESID Dose: 100 [mg/m²]CDDP CIS-PLATINUM Dose: 40 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
EPI	EPIRUBICIN	↑			↑			

CPH	CYCLOPHOSPHAMID	↑			↑			
VCR	VINCRISTIN	↑						
VP	VEPESID	↑	↑	↑				
CDDP	CIS-PLATINUM				↑			
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
EPI	EPIRUBICIN							
CPH	CYCLOPHOSPHAMID							
VCR	VINCRISTIN	↑						
VP	VEPESID							
CDDP	CIS-PLATINUM							
	MEHT	↑						

Treatment days from the onset of the cycle:		15
EPI	EPIRUBICIN	
CPH	CYCLOPHOSPHAMID	
VCR	VINCRISTIN	
VP	VEPESID	
CDDP	CIS-PLATINUM	↑
	MEHT	↑

7078 Chemotherapy, EPI-CDDP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C34

EPI	EPIRUBICIN	Dose: 30	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
EPI	EPIRUBICIN	↑			
CDDP	CIS-PLATINUM				↑
	MEHT	↑			↑

7079 Chemotherapy, EPICO Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 7 [Day]

Diagnoses:

C34

EPI EPIRUBICIN Dose: 20 [mg/m²]

CPH CYCLOPHOSPHAMID Dose: 400 [mg/m²]

VCR VINCERISTIN Dose: 1 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
EPI	EPIRUBICIN	↑			↑			
CPH	CYCLOPHOSPHAMID	↑			↑			
VCR	VINCERISTIN	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
EPI	EPIRUBICIN							
CPH	CYCLOPHOSPHAMID							
VCR	VINCERISTIN	↑						
	MEHT	↑						

Treatment days from the onset of the cycle:		15
EPI	EPIRUBICIN	
CPH	CYCLOPHOSPHAMID	
VCR	VINCERISTIN	↑
	MEHT	↑

7080 Chemotherapy, FOMI-CAP Protocol + HT

Protocol Period : 29 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C34

5FU	5FLUOROURACYL	Dose: 400 [mg/m ²]
VCR	VINCRISTIN	Dose: 1 [mg/m ²]
MMC	MITOMYCIN C	Dose: 5 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 200 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 20 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
5FU	5FLUOROURACYL	↑	↑	↑	↑			
VCR	VINCRISTIN	↑						
MMC	MITOMYCIN C	↑						
CPH	CYCLOPHOSPHAMID							
ADM	ADRIBLASTINA							
CDDP	CIS-PLATINUM							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
5FU	5FLUOROURACYL							
VCR	VINCRISTIN							
MMC	MITOMYCIN C							
CPH	CYCLOPHOSPHAMID							
ADM	ADRIBLASTINA							
CDDP	CIS-PLATINUM							
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
5FU	5FLUOROURACYL							

VCR	VINCRISTIN						
MMC	MITOMYCIN C						
CPH	CYCLOPHOSPHAMID						
ADM	ADRIBLASTINA						
CDDP	CIS-PLATINUM						
	MEHT						

Treatment days from the onset of the cycle:		22	23	24	25	26	27	28
5FU	5FLUOROURACYL							
VCR	VINCRISTIN							
MMC	MITOMYCIN C							
CPH	CYCLOPHOSPHAMID							
ADM	ADRIBLASTINA					↑		
CDDP	CIS-PLATINUM							
	MEHT					↑		

Treatment days from the onset of the cycle:		29
5FU	5FLUOROURACYL	
VCR	VINCRISTIN	
MMC	MITOMYCIN C	
CPH	CYCLOPHOSPHAMID	↑
ADM	ADRIBLASTINA	
CDDP	CIS-PLATINUM	↑
	MEHT	↑

7081 Chemotherapy, IFO-Carboplatin Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C34

IFO HOLOXAN Dose: 2500 [mg/m²]

CBP CARBOPLATIN Dose: 200 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
IFO	HOLOXAN	↑			
CBP	CARBOPLATIN				↑
	MEHT	↑			↑

7082 Chemotherapy, IFO+CDDP+VP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C34

IFO HOLOXAN Dose: 2000 [mg/m²] CDDP CIS-
PLATINUM Dose: 25 [mg/m²]
VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
IFO	HOLOXAN	↑			
CDDP	CIS-PLATINUM	↑	↑		↑
VP	VEPESID	↑	↑		↑
	MEHT	↑			↑

7083 Chemotherapy, IFO+CDDP+CBP Protocol + HT

Protocol Period : 7 [Day]

Interval between protocols : 23 [Day]

Diagnoses:

C34

IFO HOLOXAN Dose: 1000 [mg/m²]
CBP CARBOPLATIN Dose: 200 [mg/m²]
CDDP CIS-PLATINUM Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
IFO	HOLOXAN	↑			↑			↑
CDDP	CIS-PLATINUM				↑			↑
CBP	CARBOPLATIN	↑						
	MEHT	↑			↑			↑

7084 Chemotherapy, IVP Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C34

IFO	HOLOXAN	Dose: 1000 [mg/m ²]
VP	VEPESID	Dose: 60 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
IFO	HOLOXAN	↑	↑	↑	↑	↑
VP	VEPESID	↑	↑	↑	↑	↑
	MEHT	↑			↑	

7085 Chemotherapy, LCAET Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C34

CCNU	CYCLO-HEXYL-NITROSO-UREA	Dose: 30 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 500 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]
VP	VEPESID	Dose: 100 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CCNU	CYCLO-HEXYL-NITROSO-UREA	↑			

CPH	CYCLOPHOSPHAMID	↑			
ADM	ADRIBLASTINA				↑
VP	VEPESID	↑			
	MEHT	↑			↑

7086 Chemotherapy, PACCO Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C34

CDDP	CIS-PLATINUM	Dose: 30 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 200 [mg/m ²]
CCNU	CYCLO-HEXYL-NITROSO-UREA	Dose: 30 [mg/m ²]
VCR	VINCRISTIN	Dose: 1 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
ADM	ADRIBLASTINA				↑
CPH	CYCLOPHOSPHAMID	↑			
CCNU	CYCLO-HEXYL-NITROSO-UREA	↑			
VCR	VINCRISTIN				↑
	MEHT	↑			↑

7087 Chemotherapy, PETCE Protocol + HT

Protocol Period : 29 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C34

VP	VEPESID	Dose: 150 [mg/m ²]
----	---------	--------------------------------

CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 500	[mg/m ²]
EPI	EPIRUBICIN	Dose: 30	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VP	VEPESID			↑	↑	↑		
CDDP	CIS-PLATINUM	↑	↑					
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VP	VEPESID							
CDDP	CIS-PLATINUM							
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
VP	VEPESID							
CDDP	CIS-PLATINUM							
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN							
	MEHT							

Treatment days from the onset of the cycle:		22	23	24	25	26	27	28
VP	VEPESID							
CDDP	CIS-PLATINUM							
CPH	CYCLOPHOSPHAMID							
EPI	EPIRUBICIN					↑		
	MEHT					↑		

Treatment days from the onset of the cycle:		29
VP	VEPESID	
CDDP	CIS-PLATINUM	
CPH	CYCLOPHOSPHAMID	↑
EPI	EPIRUBICIN	
	MEHT	↑

7088 Chemotherapy, PEV Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C34

CDDP CIS-PLATINUM Dose: 30 [mg/m²]

EPI EPIRUBICIN Dose: 30 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
EPI	EPIRUBICIN				↑
VP	VEPESID	↑			
	MEHT				

7089 Chemotherapy, VICE Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C34

CBP CARBOPLATIN Dose: 200 [mg/m²]

IFO HOLOXAN Dose: 2500 [mg/m²]

VP	VEPESID	Dose: 60	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CBP	CARBOPLATIN	↑						
IFO	HOLOXAN	↑						
VP	VEPESID	↑			↑			
VCR	VINCRISTIN							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CBP	CARBOPLATIN							
IFO	HOLOXAN							
VP	VEPESID							
VCR	VINCRISTIN							
	MEHT					↑		

Treatment days from the onset of the cycle:		15
CBP	CARBOPLATIN	
IFO	HOLOXAN	
VP	VEPESID	
VCR	VINCRISTIN	↑
	MEHT	↑

7090 Chemotherapy, VPI Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 14 [Day]

Diagnoses:

C34

IFO	HOLOXAN	Dose: 1000	[mg/m ²]
VP	VEPESID	Dose: 50	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
IFO	HOLOXAN	↑						
VP	VEPESID	↑	↑	↑	↑	↑	↑	↑
	MEHT	↑			↑			↑

7091 Chemotherapy, CAV (small-cell Lung carcinoma) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C34

CPH CYCLOPHOSPHAMID Dose: 1000 [mg/m²]

ADM ADRIBLASTINA Dose: 50 [mg/m²]

VCR VINCRISTIN Dose: 2 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
ADM	ADRIBLASTINA				↑
VCR	VINCRISTIN	↑			
	MEHT	↑			↑

7092 Chemotherapy, CBP+ VP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 18 [Day]

Diagnoses:

C34

CBP CARBOPLATIN Dose: 300 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CBP	CARBOPLATIN	↑			
VP	VEPESID	↑	↑		↑
	MEHT	↑			↑

7093 Chemotherapy, CE (small-cell lung cancer) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 18 [Day]

Diagnoses:

C34

CBP CARBOPLATIN Dose: 200 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CBP	CARBOPLATIN	↑			
VP	VEPESID	↑	↑		↑
	MEHT	↑			↑

7094 Chemotherapy, CEV (small-cell lung cancer) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols: 18 [Day]

Diagnoses:

C34

CPH CYCLOPHOSPHAMID Dose: 500 [mg/m²]

EPI EPIRUBICIN Dose: 30 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
EPI	EPIRUBICIN	↑			

VP	VEPESID	↑	↑		↑
	MEHT	↑			↑

7095 Chemotherapy, GEM+CCDP Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 13 [Day]

Diagnoses:

C34

GEM	GEMCYTABINE	Dose: 700 [mg/m ²]
CDDP	CIS-PLATIN	Dose: 50 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
GEM	GEMCYTABINE	↑						
CDDP	CIS-PLATIN	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
GEM	GEMCYTABINE	↑
CDDP	CIS-PLATIN	
	MEHT	↑

7096 Chemotherapy, MMC+IFO+CDDP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C34

MMC	MITOMYCIN C	Dose: 3 [mg/m ²]
IFO	HOLOXAN	Dose: 2000 [mg/m ²]

CDDP CIS-PLATIN Dose: 40 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
MMC	MITOMYCIN C				↑
IFO	HOLOXAN	↑			
CDDP	CIS-PLATIN	↑			
	MEHT	↑			↑

7097 Chemotherapy, PE (small-cell lung cancer) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 18 [Day]

Diagnoses:

C34

CDDP CIS-PLATINUM Dose: 50 [mg/m²]

VP VEPESID Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
VP	VEPESID	↑	↑		↑
	MEHT	↑			↑

7098 Chemotherapy, IEC (small-cell lung cancer) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Diagnoses:

C34

IFO HOLOXAN Dose: 600 [mg/m²]

VP VEPESID Dose: 40 [mg/m²]

CDDP CIS-PLATINUM Dose: 10 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
IFO	HOLOXAN	↑	↑	↑	↑

VP	VEPESID	↑	↑	↑	↑
CDDP	CIS-PLATINUM	↑	↑	↑	↑
	MEHT	↑			↑

7099 Chemotherapy, TAX+CBP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20[Day]

Diagnoses:

C34

TAX	TAXOL	Dose: 100 [mg/m ²]
CBP	CARBOPLATIN	Dose: 200 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL	↑			
CBP	CARBOPLATIN	↑			
	MEHT	↑			↑

7101 Chemotherapy, ADOC Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Diagnoses:

C37HO

ADM	ADRIBLASTINA	Dose: 20 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30 [mg/m ²]
VCR	VINCRISTIN	Dose: 1 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 400 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
ADM	ADRIBLASTINA	↑			
CDDP	CIS-PLATINUM	↑			

VCR	VINCRISTIN				↑
CPH	CYCLOPHOSPHAMID				↑
	MEHT	↑			↑

7102 Chemotherapy, PAC Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C37HO

CDDP CIS-PLATINUM Dose: 50 [mg/m²]

ADM ADRIBLASTINA Dose: 50 [mg/m²]

CPH CYCLOPHOSPHAMID Dose: 500 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
ADM	ADRIBLASTINA				↑
CPH	CYCLOPHOSPHAMID	↑			
	MEHT	↑			↑

7121 Chemotherapy, by Metastases ADIC Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C40, C41

ADM ADRIBLASTINA Dose: 30 [mg/m²]

DTIC DACARBAZIN Dose: 150 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
ADM	ADRIBLASTINA	↑				

DTIC	DACARBAZIN	↑	↑	↑	↑	↑
	MEHT	↑			↑	

7122 Chemotherapy, VAMFA (adjuvant) Protocol + HT

Protocol Period : 26 [Day]

Interval between protocols : 10 [Day]

Diagnoses:

C40, C41

VCR	VINCRISTIN	Dose: 1	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 15	[mg/m ²]
MTX	METHOTREXAT	Dose: 10	[mg/m ²]
FOLINAC	FOLINSÄURE	Dose: 100	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VCR	VINCRISTIN	↑	↑					
ADM	ADRIBLASTINA			↑	↑	↑		
MTX	METHOTREXAT							
FOLINAC	FOLINSÄURE							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VCR	VINCRISTIN					↑		
ADM	ADRIBLASTINA							
MTX	METHOTREXAT							
FOLINAC	FOLINSÄURE							
	MEHT					↑		

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
VCR	VINCRISTIN							↑
ADM	ADRIBLASTINA							
MTX	METHOTREXAT							

FOLINAC	FOLINSÄURE						
	MEHT						

Treatment days from the onset of the cycle:		22	23	24	25	26
VCR	VINCRISTIN					
ADM	ADRIBLASTINA					
MTX	METHOTREXAT		↑	↑		
FOLINAC	FOLINSÄURE			↑	↑	
	MEHT		↑			↑

7151 Chemotherapy, CAD Protocol

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C45, C46, C47, C48, C49

CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]
DTIC	DACARBAZIN	Dose: 200 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			↑
ADM	ADRIBLASTINA	↑			
DTIC	DACARBAZIN	↑			↑
	MEHT	↑			↑

7152 Chemotherapy, CYVADIC Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C45, C46, C47, C48, C49

CPH	CYCLOPHOSPHAMID	Dose: 300	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]
DTIC	DACARBAZIN	Dose: 150	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
CPH	CYCLOPHOSPHAMID	↑	↑			
VCR	VINCRISTIN	↑	↑	↑	↑	↑
ADM	ADRIBLASTINA	↑				
DTIC	DACARBAZIN	↑	↑	↑	↑	↑
	MEHT	↑			↑	

7153 Chemotherapy, IFO-ADM/A Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C45, C46, C47, C48, C49, C50

IFO	HOLOXAN	Dose: 3000	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 40	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
IFO	HOLOXAN	↑			
ADM	ADRIBLASTINA	↑			
	MEHT	↑			↑

7154 Chemotherapy, IFO-ADM/B Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 19 [Day]

Diagnoses:**C45, C46, C47, C48, C49**

IFO	HOLOXAN	Dose: 2000 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
IFO	HOLOXAN	↑			↑
ADM	ADRIBLASTINA	↑			↑
	MEHT	↑			↑

7201 Chemotherapy, BOLD Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:**C43, C44**

DTIC	DACARBAZIN	Dose: 100 [mg/m ²]
BLM	BLEOMICIN	Dose: 10 [mg/m ²]
VCR	VINCRISTIN	Dose: 1 [mg/m ²]
CCNU	CYCLO-HEXYL-NITROSO-UREA	Dose: 40 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
DTIC	DACARBAZIN	↑	↑	↑	↑	↑
BLM	BLEOMICIN	↑			↑	
VCR	VINCRISTIN	↑			↑	
CCNU	CYCLO-HEXYL-NITROSO-UREA	↑				
	MEHT	↑			↑	

7202 Chemotherapy, DTIC+CDDP+BCNU+TAMO Protocol+HT

Protocol Period : 21 [Day]

Interval between protocols : 0 [Day]

Diagnoses:

C43, C44

DTIC	DACARBAZIN	Dose: 100 [mg/m ²]
CDDP	CIS-PLATIN	Dose: 20 [mg/m ²]
BCNU	CARMUSTIN	Dose: 80 [mg/m ²]
TAMO	TAMOXIFEN	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
DTIC	DACARBAZIN	↑	↑		↑			
CDDP	CIS-PLATIN	↑	↑		↑			
BCNU	CARMUSEN	↑						
TAMO	TAMOXIFEN	↑	↑	↑	↑	↑	↑	↑
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
DTIC	DACARBAZIN							
CDDP	CIS-PLATIN							
BCNU	CARMUSEN							
TAMO	TAMOXIFEN	↑	↑	↑	↑	↑	↑	↑
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
DTIC	DACARBAZIN							
CDDP	CIS-PLATIN							
BCNU	CARMUSEN							
TAMO	TAMOXIFEN	↑	↑	↑	↑	↑	↑	↑
	MEHT							

7203 Chemotherapy, DVP EORTC Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C43, C44

DTIC	DACARBAZIN	Dose: 300 [mg/m ²]
VDS	VINDESINE	Dose: 2 [mg/m ²]
CDDP	CIS-PLATIN	Dose: 30 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
DTIC	DACARBAZIN	↑						
VDS	VINDESINE	↑						
CDDP	CIS-PLATIN	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
DTIC	DACARBAZIN	↑
VDS	VINDESINE	↑
CDDP	CIS-PLATIN	↑
	MEHT	↑

7204 Chemotherapy, oncotherapy Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C43, C44

DTIC	DACARBAZIN	Dose: 150 [mg/m ²]
EPI	EPIRUBICIN	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
DTIC	DACARBAZIN	↑	↑	↑	↑	↑		
EPI	EPIRUBICIN	*						
	MEHT	*			*			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
DTIC	DACARBAZIN	↑						
EPI	EPIRUBICIN	*						
	MEHT	*						

Treatment days from the onset of the cycle:		15
DTIC	DACARBAZIN	
EPI	EPIRUBICIN	*
	MEHT	*

7205 Chemotherapy, oncotherapy Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 16 [Day]

Diagnoses:

C43, C44

DTIC DACARBAZIN Dose: 250 [mg/m²]

CDDP CIS-PLATINUM Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
DTIC	DACARBAZIN	↑	↑	↑	↑	↑
CDDP	CIS-PLATINUM	↑				
	MEHT	↑			↑	

7231 Chemotherapy, AC/A Protocol + HT

Protocol Period : 6 [Day]

Interval between protocols : 15 [Day]

Diagnoses:

C50

ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 150	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6
ADM	ADRIBLASTINA	↑					
CPH	CYCLOPHOSPHAMID			↑	↑	↑	↑
	MEHT	↑			↑		

7233 Chemotherapy, CEF/A single-use CPM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C50

CPH	CYCLOPHOSPHAMID	Dose: 300	[mg/m ²]
EPI	EPIRUBICIN	Dose: 40	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
EPI	EPIRUBICIN	↑			
	MEHT	↑			↑

7234 Chemotherapy, CEF/B continuous CPM Protocol + HT

Protocol Period : 14 [Day]

Interval between protocols : 14 [Day]

Remark: continuously CPM Dose for 14 Day

Diagnoses:

C50

EPI	EPIRUBICIN	Dose: 40	[mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 50	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
EPI	EPIRUBICIN	↑						
CPH	CYCLOPHOSPHAMID	↑	↑	↑	↑	↑	↑	↑
	MEHT	↑			↑			↑

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
EPI	EPIRUBICIN							
CPH	CYCLOPHOSPHAMID	↑	↑	↑	↑	↑	↑	↑
	MEHT	↑			↑			↑

7235 Chemotherapy, classic CMF Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

CPH	CYCLOPHOSPHAMID	Dose: 400	[mg/m ²]
MTX	METHOTREXAT	Dose: 30	[mg/m ²]
5FU	5FLUOROURACYL	Dose: 400	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CPH	CYCLOPHOSPHAMID	↑						
MTX	METHOTREXAT	↑						
5FU	5FLUOROURACYL	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
CPH	CYCLOPHOSPHAMID	↑
MTX	METHOTREXAT	↑
5FU	5FLUOROURACYL	↑
	MEHT	↑

7236 Chemotherapy, EC Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

EPI EPIRUBICIN Dose: 40 [mg/m²]

CPH CYCLOPHOSPHAMID Dose: 400 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
EPI	EPIRUBICIN	↑			
CPH	CYCLOPHOSPHAMID	↑			
	MEHT	↑			↑

7237 Chemotherapy, FAC Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

5FU	5FLUOROURACYL	Dose: 300 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
5FU	5FLUOROURACYL	↑						
ADM	ADRIBLASTINA	↑						
CPH	CYCLOPHOSPHAMID	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
5FU	5FLUOROURACYL	↑
ADM	ADRIBLASTINA	
CPH	CYCLOPHOSPHAMID	
	MEHT	↑

7238 Chemotherapy, FEC Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:**C50**

CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]
EPI	EPIRUBICIN	Dose: 50 [mg/m ²]
5FU	5FLUOROURACYL	Dose: 300 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
EPI	EPIRUBICIN	↑			
5FU	5FLUOROURACYL	↑			
	MEHT	↑			↑

7239 Chemotherapy, Withoxantron-IFO Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 18 [Day]

Diagnoses:

C50

WITHX WITHOXANTRON	Dose: 6 [mg/m ²]
IFO HOLOXAN	Dose: 1500 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
WITHX	WITHOXANTRON				↑
IFO	HOLOXAN	↑	↑		↑
	MEHT	↑			↑

7240 Chemotherapy, MMM/A MITOMYCIN C Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Remark: Between two days once MMM/B without MITOMYCIN C am 21.Day

Diagnoses:

C50

WITHX WITHOXANTRON	Dose: 5 [mg/m ²]
MTX METHOTREXAT	Dose: 30 [mg/m ²]
MMC MITOMYCIN C	Dose: 5 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
WITHX	WITHOXANTRON	↑			
MTX	METHOTREXAT	↑			
MMC	MITOMYCIN C	↑			
	MEHT	↑			↑

7241 Chemotherapy, MMM/B Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

WITHX WITHOXANTRON Dose: 5 [mg/m²]

MTX METHOTREXAT Dose: 30 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
WITHX	WITHOXANTRON	↑			
MTX	METHOTREXAT	↑			
	MEHT	↑			↑

7242 Chemotherapy, TAC Protocol + HT

Protocol Period : 7 [Day]

Interval between protocols : 22 [Day]

Remark: TAMO continuously p.os

Diagnoses:

C50

TAMO TAMOXIFEN Dose: 10 [mg/m²]

ADM ADRIBLASTINA Dose: 20 [mg/m²]

CPH CYCLOPHOSPHAMID Dose: 150 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
TAMO	TAMOXIFEN	↑	↑	↑	↑	↑	↑	↑
ADM	ADRIBLASTINA	↑						
CPH	CYCLOPHOSPHAMID			↑	↑	↑		↑
	MEHT	↑						↑

7243 Chemotherapy, Taxol-ADM/A Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

TAX TAXOL Dose: 100 [mg/m²]

ADM ADRIBLASTINA Dose: 30 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL	↑			
ADM	ADRIBLASTINA	↑			
	MEHT	↑			↑

7244 Chemotherapy, Taxol-ADM/B Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

TAX TAXOL Dose: 100 [mg/m²]

EPI EPIRUBICIN Dose: 40 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL	↑			
EPI	EPIRUBICIN	↑			
	MEHT	↑			↑

7245 Chemotherapy, Taxotere-Adriblastina Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

TAX	TAXOL	Dose: 50	[mg/m ²]
EPI	EPIRUBICIN	Dose: 50	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL	↑			
EPI	EPIRUBICIN	↑			
	MEHT	↑			↑

7246 Chemotherapy, Taxotere-Adriblastina/B Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C50

TAX	TAXOL	Dose: 50	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL	↑			
ADM	ADRIBLASTINA	↑			
	MEHT	↑			↑

7301 Chemotherapy, BIP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Diagnoses:

C53

BLM	BLEOMICIN	Dose: 15	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]
IFO	HOLOXAN	Dose: 3000	[mg/m ²]
MESNA	UROWITHEXAN	Dose: 2000	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
BLM	BLEOMICIN	↑			
CDDP	CIS-PLATINUM	↑			
IFO	HOLOXAN			↑	
MESNA	UROWITHEXAN				↑
	MEHT	↑			↑

7302 Chemotherapy, Carboplatin-IFO Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C53

CBP	CARBOPLATIN	Dose: 200 [mg/m ²]
IFO	HOLOXAN	Dose: 3000 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CBP	CARBOPLATIN	↑			
IFO	HOLOXAN	↑			
	MEHT	↑			↑

7303 Chemotherapy, VAC (recidive Sarcoma) Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:

C54

CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]
VCR	VINCRISTIN	Dose: 1 [mg/m ²]
ACTD	ACTINOMYCYIN-D	Dose: 1 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
CPH	CYCLOPHOSPHAMID	↑				
VCR	VINCRISTIN	↑				
CPH	CYCLOPHOSPHAMID					↑
ACTD	ACTINOMYCYIN-D					↑
	MEHT	↑				↑

7304 Chemotherapy, neoadjuvant Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 7 [Day]

Diagnoses:

C53

CDDP	CIS-PLATINIUM	Dose: 30	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]
BLM	BLEOMICIN	Dose: 15	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINIUM	↑			
VCR	VINCRISTIN	↑			
BLM	BLEOMICIN	↑	↑		↑
	MEHT	↑			↑

7305 Chemotherapy, VPB/D (recidive Collumkarzinom) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C53

VCR	VINCRISTIN	Dose: 1	[mg/m ²]
CDDP	CIS-PLATINIUM	Dose: 30	[mg/m ²]

BLM BLEOMICIN Dose: 10 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
VCR	VINCRISTIN	↑			
CDDP	CIS-PLATINIUM	↑			
BLM	BLEOMICIN	↑			
	MEHT	↑			

7306 Chemotherapy, CAP-BLM Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 13 [Day]

Diagnoses:

C53

CPH	CYCLOPHOSPHAMID	Dose: 300 [mg/m ²]
ADM	ADRIBLASTINA	Dose: 30 [mg/m ²]
CBP	CARBOPLATIN	Dose: 200 [mg/m ²]
BLM	BLEOMICIN	Dose: 10 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CPH	CYCLOPHOSPHAMID	↑						
ADM	ADRIBLASTINA	↑						
CBP	CARBOPLATIN	↑						
BLM	BLEOMICIN	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
CPH	CYCLOPHOSPHAMID	
ADM	ADRIBLASTINA	
CBP	CARBOPLATIN	
BLM	BLEOMICIN	↑
	MEHT	↑

7307 Chemotherapy, CMVB Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C53

CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]
MMC	MITOMYCIN C	Dose: 6	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]
BLM	BLEOMICIN	Dose: 6	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
MMC	WITHOMXCIN C				↑
VCR	VINCRISTIN	↑			
BLM	BLEOMICIN	↑			
	MEHT	↑			↑

7309 Chemotherapy, FAP/B Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C53

5FU	5FLUOROURACYL	Dose: 300	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 40	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
5FU	5FLUOROURACYL	↑			
ADM	ADRIBLASTINA	↑			
CDDP	CIS-PLATINUM	↑			
	MEHT	↑			↑

7312 Chemotherapy, CDP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C54

CPH	CYCLOPHOSPHAMID	Dose: 300	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
ADM	ADRIBLASTINA				↑
CDDP	CIS-PLATINUM	↑			
	MEHT	↑			↑

7313 Chemotherapy, CDDP+MTX+BLM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 19 [Day]

Diagnoses:

C53

CDDP	CIS-PLATINUM	Dose: 40	[mg/m ²]
MTX	METHOTREAT	Dose: 40	[mg/m ²]
BLM	BLEOMICIN	Dose: 15	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM				↑
MTX	METHOTREXAT	↑			
BLM	BLEOMICON	↑			
	MEHT	↑			↑

7331 Chemotherapy, BECA Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 16 [Day]

Diagnoses:

C56HO, C62

VP VEPESID Dose: 50 [mg/m²]

CBP CARBOPLATIN Dose: 200 [mg/m²]

BLM BLEOMICIN Dose: 15 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
VP	VEPESID	↑	↑	↑	↑	↑
CBP	CARBOPLATIN	↑				
BLM	BLEOMICON		↑			
	MEHT	↑			↑	

7332 Chemotherapy, BEP Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 6 [Day]

Diagnoses:

C62

CDDP CIS-PLATINUM Dose: 20 [mg/m²]

VP VEPESID Dose: 100 [mg/m²]

BLM BLEOMICIN Dose: 15 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
CDDP	CIS-PLATIN	↑	↑	↑	↑	↑		
VP	VEPESID	↑	↑	↑				
BLM	BLEOMICIN	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
CDDP	CIS-PLATIN							
VP	VEPESID							
BLM	BLEOMICIN	↑						
	MEHT	↑						

Treatment days from the onset of the cycle:		15
CDDP	CIS-PLATIN	
VP	VEPESID	
BLM	BLEOMICIN	↑
	MEHT	↑

7333 Chemotherapy, Carboplatin-Cyclophosphamid Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 27 [Day]

Diagnoses:

C56HO

CPB	CARBOPLATIN	Dose: 200 [mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 400 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPB	CARBOPLATIN	↑			
CPH	CYCLOPHOSPHAMID	↑			
	MEHT	↑			↑

7334 Chemotherapy, Cisplatin-Carboplatin-IFO Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:**C56H0**

CPB	CARBOPLATIN	Dose: 200 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 30 [mg/m ²]
IFO	HOLOXAN	Dose: 1000 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPB	CARBOPLATIN	↑			
CDDP	CIS-PLATINUM		↑		↑
IFO	HOLOXAN	↑	↑		↑
	MEHT	↑			↑

7336 Chemotherapy, VIP/A Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 16 [Day]

Diagnoses:

C56H0, C62, C63, C64H0, C65H0, C66H0, C67, C68, C69, C70, C71, C72, C73H0, C74, C75, C76, C77, C78, C79, C80H0, C81, C82, C83, C84

IFO	HOLOXAN	Dose: 1000 [mg/m ²]
VP	VEPESID	Dose: 50 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
IFO	HOLOXAN	↑	↑	↑	↑	↑
VP	VEPESID	↑	↑	↑	↑	↑
CDDP	CIS-PLATINUM	↑	↑	↑	↑	↑
	MEHT	↑			↑	

7337 Chemotherapy, VIP/B Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 16 [Day]

Diagnoses:**C56H0, C62**

IFO	HOLOXAN	Dose: 1000 [mg/m ²]
VP	VEPESID	Dose: 50 [mg/m ²]
CBP	CARBOPLATIN	Dose: 200 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
IFO	HOLOXAN	↑	↑	↑	↑	↑
VP	VEPESID	↑	↑	↑	↑	↑
CBP	CARBOPLATIN	↑				
	MEHT	↑			↑	

7338 Chemotherapy, VPB with cisplatin Protocol + HT

Protocol Period : 16 [Day]

Interval between protocols : 14 [Day]

Diagnoses:**C62**

VBL	VINBLASTIN	Dose: 4 [mg/m ²]
BLM	BLEOMICIN	Dose: 15 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VBL	VINBLASTIN	↑	↑					
BLM	BLEOMICIN		↑					
CDDP	CIS-PLATINUM	↑	↑	↑	↑	↑		
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VBL	VINBLASTIN							
BLM	BLEOMICIN		↑					
CDDP	CIS-PLATINUM							
	MEHT		↑					

Treatment days from the onset of the cycle:		15	16
VBL	VINBLASTIN		
BLM	BLEOMICIN		↑
CDDP	CIS-PLATINUM		
	MEHT		↑

7339 Chemotherapy, VPB with Carboplatin Protocol + HT

Protocol Period : 16 [Day]

Interval between protocols : 14 [Day]

Diagnoses:

C62

VBL	VINBLASTIN	Dose: 4	[mg/m ²]
BLM	BLEOMICIN	Dose: 15	[mg/m ²]
CBP	CARBOPLATIN	Dose: 50	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VBL	VINBLASTIN	↑	↑					
BLM	BLEOMICIN		↑					
CBP	CARBOPLATIN	↑	↑	↑	↑	↑		
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VBL	VINBLASTIN							
BLM	BLEOMICIN		↑					
CBP	CARBOPLATIN							
	MEHT		↑					

Treatment days from the onset of the cycle:		15	16
VBL	VINBLASTIN		
BLM	BLEOMICIN		↑
CBP	CARBOPLATIN		
	MEHT		↑

7340 Chemotherapy, CFP (first line therapy) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C56HO

CPH CYCLOPHOSPHAMID Dose: 300 [mg/m²]

EPI EPIRUBICIN Dose: 40 [mg/m²]

CDDP CIS-PLATIN Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
EPI	EPIRUBICIN	↑			
CDDP	CIS-PLATIN	↑			
	MEHT	↑			↑

7341 Chemotherapy, CPH+VP for treatment of recurrences+ HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:

C56HO

VP VEPESID Dose: 60 [mg/m²]

CPH CYCLOPHOSPHAMID Dose: 400 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
VP	VEPESID	↑	↑		↑
CPH	CYCLOPHOSPHAMID				↑
	MEHT	↑			↑

7343 Chemotherapy, TAX-CBP (first line th) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 26 [Day]

Diagnoses:**C56HO**

TAX	TAXOL	Dose: 100 [mg/m ²]
CBP	CARBOPLATIN	Dose: 200 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
TAX	TAXOL				↑
CBP	CARBOPLATIN	↑			
	MEHT	↑			↑

7345 Chemotherapy, VEP (bym rezidivierenden Ovarialkarzinom) Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 23 [Day]

Diagnoses:**C56HO**

VP	VEPESID	Dose: 50 [mg/m ²]
CDDP	CIS-PLATINUM	Dose: 15 [mg/m ²]
EPI	EPIRUBICIN	Dose: 40 [mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5
VP	VEPESID	↑	↑	↑		
CDDP	CIS-PLATINUM	↑	↑	↑	↑	↑
EPI	EPIRUBICIN	↑				
	MEHT	↑			↑	

7346 Chemotherapy, PEB (bym Ovarialkarzinom germinaler Ursprung) Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 25 [Day]

Diagnoses:**C56HO**

CDDP	CIS-PLATINUM	Dose: 50	[mg/m ²]
VP	VEPESID	Dose: 50	[mg/m ²]
BLM	BLEOMICIN	Dose: 10	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
VP	VEPESID	↑	↑		↑
BLM	BLEOMICIN	↑	↑		↑
	MEHT	↑			↑

7347 Chemotherapy, CPH+CDDP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C56HO

CPh	CYCLOPHOSPHAMID	Dose: 400	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 50	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CPH	CYCLOPHOSPHAMID	↑			
CDDP	CIS-PLATINUM	↑			
	MEHT	↑			↑

7348 Chemotherapy, Cisplatin-Taxol Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C56HO

CDDP	CIS-PLATINUM	Dose: 50	[mg/m ²]
TAXOL	TAXOL	Dose: 100	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM				↑
TAXOL	TAXOL	↑			
	MEHT	↑			↑

7401 Chemotherapy, ABVC-BCG Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Remark: BCG Scarification an 8-15. Days 6x10U

Diagnoses:

C64HO

ADM	ADRIBLASTINA	Dose: 30	[mg/m²]
BLM	BLEOMICIN	Dose: 15	[mg/m ²]
VCR	VINCRISTIN	Dose: 1	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
ADM	ADRIBLASTINA				↑
BLM	BLEOMICIN	↑			
VCR	VINCRISTIN	↑			
	MEHT	↑			↑

7402 Chemotherapy, CDDP+CPH+ADM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 20 [Day]

Diagnoses:

C67

CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]
CPH	CYCLOPHOSPHAMID	Dose: 400	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 40	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4
CDDP	CIS-PLATINUM	↑			
CPH	CYCLOPHOSPHAMID	↑			
ADM	ADRIBLASTINA				↑
	MEHT	↑			↑

7403 Chemotherapy, CMV Protocol + HT

Protocol Period : 8 [Day]

Interval between protocols : 14 [Day]

Diagnoses:

C67

VBL	VINBLASTIN	Dose: 5	[mg/m ²]
MTX	METHOTREXAT	Dose: 30	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 60	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VBL	VINBLASTIN	↑						
MTX	METHOTREXAT	↑						
CDDP	CIS-PLATINUM				↑			
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8
VBL	VINBLASTIN	↑
MTX	METHOTREXAT	↑
CDDP	CIS-PLATINUM	
	MEHT	↑

7404 Chemotherapy, MVEC Protocol + HT

Protocol Period : 22 [Day]

Interval between protocols : 7 [Day]

Diagnoses:**C67**

VBL	VINBLASTIN	Dose: 5	[mg/m ²]
EPI	EPIRUBICIN	Dose: 30	[mg/m ²]
CDDP	CIS-PLATINUM	Dose: 20	[mg/m ²]
MTX	METHOTREXAT	Dose: 30	[mg/m ²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VBL	VINBLASTIN	↑						
EPI	EPIRUBICIN				↑			
CDDP	CIS-PLATINUM	↑						
MTX	METHOTREXAT	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VBL	VINBLASTIN							
EPI	EPIRUBICIN							
CDDP	CIS-PLATINUM							
MTX	METHOTREXAT							
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
VBL	VINBLASTIN	↑						
EPI	EPIRUBICIN							
CDDP	CIS-PLATINUM							
MTX	METHOTREXAT	↑						
	MEHT	↑						

Treatment days from the onset of the cycle:		22
VBL	VINBLASTIN	↑

EPI	EPIRUBICIN	
CDDP	CIS-PLATINUM	
MTX	METHOTREXAT	↑
	MEHT	↑

X001 Chemotherapy, ADM+CTX+CDDP Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 24 [Day]

Diagnoses:

C4490

ADM	ADRIBLASTINA	Dose: 30	[mg/m ²]
-----	--------------	----------	----------------------

CTX	CITOXAN	Dose: 300	[mg/m ²]
-----	---------	-----------	----------------------

CDDP	CIS-PLATINUM	Dose: 30	[mg/m ²]
------	--------------	----------	----------------------

Treatment days from the onset of the cycle:		1	2	3	4
ADM	ADRI BLASTINA	↑			
CTX	CITOXAN	↑			
CDDP	CIS-PLATINUM				↑
	MEHT	↑			↑

X002 Chemotherapy, ADM+CDDP+BLM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Diagnoses:

C4490

ADM	ADRIBLASTINA	Dose: 15	[mg/m ²]
-----	--------------	----------	----------------------

CDDP	CIS-PLATINUM	Dose: 15	[mg/m ²]
------	--------------	----------	----------------------

BLM	BLEOMYCIN	Dose: 5	[mg/m ²]
-----	-----------	---------	----------------------

Treatment days from the onset of the cycle:		1	2	3	4
ADM	ADRI BLASTINA	↑	↑	↑	
CTX	CITOXAN	↑	↑	↑	↑
CDDP	CIS-PLATINUM	↑	↑	↑	↑
	MEHT	↑			↑

X003 Chemotherapy, VMB Protocol + HT

Protocol Period : 21 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C00, C0090

VCR VINCRISTIN Dose: 1 [mg/m²]

MTX METHOTHREXAT Dose: 20 [mg/m²]

BLM BLEOMYCIN Dose: 10 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
VCR	VINCRISTIN	↑						
MTX	METHOTHREXAT	↑						
BLM	BLEOMYCIN	↑			↑			
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
VCR	VINCRISTIN	↑						
MTX	METHOTHREXAT	↑						
BLM	BLEOMYCIN	↑			↑			
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
VCR	VINCRISTIN	↑						
MTX	METHOTHREXAT	↑						

BLM	BLEOMYCIN	↑			↑			
	MEHT	↑			↑			

X004 Chemotherapy, ADM+CDDP+ACTINOMYCIN-D Protocol + HT

Protocol Period : 1 [Day]

Interval between protocols : 28 [Day]

Remark: Only in the case of anaplastic CC

Diagnoses:

C32

ADM ADRIBLASTINA Dose: 30 [mg/m²]

CDDP CIS-PLATINUM Dose: 30 [mg/m²]

ACD ACTINOMYCIN-D Dose: 1 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
ADM	ADRIBLASTINA	↑			
CDDP	CIS-PLATINUM	↑			
ACD	ACTINOMYCIN-D	↑			
	MEHT	↑			↑

X005 Chemotherapy, BLM+5FU+VLB Protocol + HT

Protocol Period : 5 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C15

BLM BLEOMYCIN Dose: 30 [mg/m²]

5FU 5FLUOURACIL Dose: 400 [mg/m²]

VBL VINBLASTIN Dose: 3 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5
BLM	BELOMYCIN	↑			↑	
5FU	5FLUOROURACIL	↑	↑	↑	↑	↑
VBL	VINBLASTIN	↑				
MEHT		↑			↑	

X006 Chemotherapy, MLP-F Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 28 [Day]

Diagnoses:

C16

MTX METHOTREXAT Dose: 100 [mg/m²]

LV LEUCOVORIN Dose: 200 [mg/m²]

5FUi* 5FLUOROURACIL-INF. Dose: 1000 [mg/m²]

5FUb 5FLUOROURACIL-BOLUS Dose: 400 [mg/m²]

CDDP CIS-PLATINUM Dose: 50 [mg/m²]

*/ 24 Hours

Treatment days from the onset of the cycle:		1	2	3	4
MTX	METHOTREXAT	↑			↑
LV	LEUCOVORIN	↑	↑	↑	↑
5FUi	5FLUOROURACYL-INF	↑	↑	↑	↑
5FUb	5FLUOROURACYL-BOLUS	↑			
CDDP	CIS-PLATINUM	↑			
MEHT		↑			↑

X007 Chemotherapy, MMC+5FU Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 17 [Day]

Diagnoses:**C21**

In the case of epithelioma

MMC MYTOMICIN Dose: 6 [mg/m²]

5FU 5FLUOURACIL Dose: 500 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
MTX	METHOTHREXAT	↑			
5FU	5FLUOROURACYL	↑	↑	↑	↑
	MEHT	↑			↑

X008 Chemotherapy, GEMZAR+5FU Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 7 [Day]

Diagnoses:**C25**

GMZ GEMZAR Dose: 600 [mg/m²]

5FU 5FLUOURACIL Dose: 500 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
GMZ	GEMZAR	↑						
5FU	5FLUOROURACIL	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
GMZ	GEMZAR	↑						
5FU	5FLUOROURACIL	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		15	16	17	18
GMZ	GEMZAR	↑			
5FU	5FLUOROURACIL	↑			
	MEHT	↑			↑

X009 Chemotherapy, GEMZAR+CDDP I. Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 7 [Day]

Diagnoses:

C25

GMZ GEMZAR Dose: 600 [mg/m²]

CDDP CIS-PLATINUM Dose: 15 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
GMZ	GEMZAR	↑						
CDDP	CISPLATINUM	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
GMZ	GEMZAR	↑						
CDDP	CISPLATINUM	↑						
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		15	16	17	18
GMZ	GEMZAR	↑			
CDDP	CISPLATINUM	↑			
	MEHT	↑			↑

X010 Chemotherapy, VIDE Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C4980, C4990

VCR	VINCRISTIN	Dose: 1	[mg/m ²]
IFO*	HOLOXAN	Dose: 2000	[mg/m ²]
MESNA*	MESNA	Dose: 2000	[mg/m ²]
ADM	ADRIBLASTINA	Dose: 10	[mg/m ²]
VT	ETOPOSID	Dose: 100	[mg/m ²]

*4-hour i.v.

Treatment days from the onset of the cycle:		1	2	3	4
VCR	VINCRISTIN	↑			
IFO	HOLOXAN	↑	↑	↑	
MESNA	MESNA	↑	↑	↑	↑
ADM	ADRIBLASTINA	↑	↑	↑	
VP	ETOPOSID	↑	↑	↑	
	MEHT	↑			↑

X011 Chemotherapy, VAC Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 21 [Day]

Diagnoses:

C4980, C4990

VCR	VINCRISTIN	Dose: 1	[mg/m ²]
ACD	ACTINOMYCIN-D	Dose: 0,5	[mg/m ²]
CTX	CITOXAN	Dose: 1000	[mg/m ²]

MESNA*

MESNA

Dose: 2000 [mg/m²]

*by CTX 12-hours i.v.

Treatment days from the onset of the cycle:		1	2	3	4
VCR	VINCRISTIN	↑			
ACD	ACTINOMYCIN-D	↑	↑		
CTX	CITOXAN				↑
MESNA	MESNA				↑
	MEHT	↑			↑

X012 Chemotherapy, VCR+CDDP+BLM Protocol + HT

Protocol Period : 4 [Day]

Interval between protocols : 24 [Day]

Diagnoses:

C57

VCR VINCRISTIN Dose: 0,7 [mg/m²]

CDDP CIS-PLATINUM Dose: 30 [mg/m²]

BLM BLEOMYCIN Dose: 10 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4
VCR	VINCRISTIN	↑			
CDDP	CIS-PLATINUM				↑
BLM	BLEOMYCIN	↑			
	MEHT	↑			↑

X013 Chemotherapy, GEMZAR+CDDP II. Protocol + HT

Protocol Period : 15 [Day]

Interval between protocols : 13 [Day]

Diagnoses:

C64

GMZ GEMZAR Dose: 600 [mg/m²]

CDDP CIS-PLATINUM

Dose: 30 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
GMZ	GEMZAR	↑						
CDDP	CIS-PLATINUM				↑			
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
GMZ	GEMZAR	↑						
CDDP	CIS-PLATINUM							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		15
GMZ	GEMZAR	↑
CDDP	CIS-PLATINUM	
	MEHT	↑

X014 Chemotherapy, M-VAC Protocol + HT

Protocol Period : 22 [Day]

Interval between protocols : 6 [Day]

Diagnoses:**C64**MTX METHOTREXAT Dose: 20 [mg/m²]VBL VINBLASTIN Dose: 3 [mg/m²]ADM ADRIBLASTINA Dose: 20 [mg/m²]CDDP CIS-PLATINUM Dose: 50 [mg/m²]

Treatment days from the onset of the cycle:		1	2	3	4	5	6	7
MTX	METHOTREXAT	↑						
VBL	VINBLASTIN	↑						
ADM	ADRIBLASTINA	↑						

CDDP	CIS-PLATINUM				↑		
	MEHT	↑			↑		

Treatment days from the onset of the cycle:		8	9	10	11	12	13	14
MTX	METHOTREXAT							
VBL	VINBLASTIN							
ADM	ADRIBLASTINA							
CDDP	CIS-PLATINUM							
	MEHT							

Treatment days from the onset of the cycle:		15	16	17	18	19	20	21
MTX	METHOTREXAT	↑						
VBL	VINBLASTIN	↑						
ADM	ADRIBLASTINA							
CDDP	CIS-PLATINUM							
	MEHT	↑			↑			

Treatment days from the onset of the cycle:		22	23	24	25
MTX	METHOTREXAT	↑			
VBL	VINBLASTIN	↑			
ADM	ADRIBLASTINA				
CDDP	CIS-PLATINUM				
	MEHT	↑			↑